

Animal Biotechnology

DeSilva U, Guo X, Kupfer DM, Fernando SC, Pillai ATV, Najjar FZ, So S, Fitch GQ and Roe BA (2003) **Allelic variants of ovine prion protein gene (PRNP) in Oklahoma sheep** [Cytogenet Genome Res](#) 102:98-94

Doroshov SI and Van Eenennaam JP (2003) **White sturgeon domestic broodstock management** *Aqua KE Gov Doc* 614

Guo X, Kupfer DM, Fitch GQ, Roe BA and DeSilva U (2003) **Identification of a novel lysine-171 allele in the ovine prion protein (PRNP) gene** [Animal Genetics](#) 334:302-318

Jefferies R, Ryan UM and Irwin PJ (2007) **PCR-RFLP for the detection and differentiation of the canine piroplasm species and its use with filter paper-based technologies** *Vet Parasitol* 144:20 - 27

Kiatpathomchai W, Jitrapakdee S, Panyim S and Boonsaeng V (2004) **RT-PCR detection of yellow head virus (YHV) infection in *Penaeus mondon* using dried haemolymph spots** [J Virol Methods](#) 119:1-5

Diagnostics

Abnet CC, Fagundes RB, Strickland PT, Kamangar F, Roth MJ, Taylor PR and Dawsey SM (2007) **The influence of genetic polymorphisms in Ahr, CYP1A1, CYP1A2, CYP1B1, GST M1, GST T1 and UGT1A1 on urine 1-hydroxypyrene glucuronide concentrations in healthy subjects from Rio Grande do Sul, Brazil** [Carcinogenesis](#) 28: 112- 117

Buce, LJ, Ghosh S, King MJ, Layton DM, Mawby WJ, Stewart GW, Oldenborg P (2002) **Absence of CD47 in protein 4.2-deficient hereditary spherocytosis in man: an interaction between the Rh complex and the band 3 complex** [Blood](#) 100(5)1878-1885.

Calvert JT, Riney TJ, Kontos CD, Cha EH, Prieto VG, Shea CR, Berg JN, Nevin NC Simpson SA, Pasyk KA, Speer MC, Peters KG and Marchuk DA (1999) **Allelic and locus heterogeneity in inherited venous malformations** [Hum Mol Genetics](#) 8(7)1279-1289

Cole SG, Befgbie ME, Wallace GMF and Shoflin CL (2005) **A new locus for hereditary haemorrhagic telangiectasia (HHT3) maps to chromosome 5** [J. Med. Genet.](#) 42:557-582

FTA Elute
Publication References

Cortés A, Mellombo M, Mueller I, Benet A, Reeder JC and Anders RF (2003) **Geographical structure of diversity and differences between symptomatic and asymptomatic infections for *Plasmodium falciparum* vaccine candidate AMA1** [*Infect and Immunity* 71\(3\):1416-1426](#)

Cummings JF, Polhemus ME, Hawkes C, Klote M, Ludwig GV and Wortmann G (2004) **Lack of vaccinia viremia after smallpox vaccination** [*Clin Inf Dis* 38:456-458](#)

Firmani MA and Broussard, LA (2003) **Molecular diagnostic techniques for use in bioterrorism** [*Expert Rev. Mol. Diag.* 3\(5\):605-616](#)

Fischer A, Lejczak C, Lambert C, Servais J, Makombe N, Rusine J, Staub T, Hemmer R, Schneider F, Schmit JC and Arendt V. (2004) **Simple DNA extraction method for dried blood spots and comparison of two PCR assays for diagnosis of vertical human immunodeficiency virus type 1 transmission in Rwanda.** [*J. Clin Microbiol* 42\(1\):16-20](#)

Fiscus SA, Brambilla D, Grosso L, Schock J and Cronin M (1998) **Quantitation of human immunodeficiency virus type 1 RNA in plasma by using blood dried on filter paper** [*J Clin Microbiol* 36\(1\):258-260](#)

Janicki PK, Schuler G, Francis D, Bohr A, Gordin V, Jarzembowski T, Ruiz-Velasco V, and Mets B (2006) **A genetic association study of the functional A118G polymorphism of the human μ -opioid receptor gene in patients with acute and chronic pain** [*Anesth Analg* 103:1011-1017](#)

Liang Y, Wang A, Probst FJ, Arhya IN, Barber TD, Chen K-S, Deshmukh D, Dolan DF, Hinnant JT, Carter LE, Jain PK, Lalwani AK, Li XC, Lupski FR, Moeljopawiro S, Morell R, Negrini C, Wilcox ER, Winata S, Camper SA, and Friedman TB (1998) **Genetic mapping refines DFNB3 to 17p11.2, suggests multiple alleles of DFNB3, and supports homology to the mouse model shaker-2** [*Am J Hum Genet* 62:904-915](#)

Smail D, Gambino L, Bolws C and Vladutiu GD (1999) **Rapid, cost-effective gene mutation screening for carnitine palmitoyltransferase II deficiency using whole blood on filter paper** [*Clinical Chem* 45 \(11\):2035-2038](#)

Struewing JP, Hartge P, Wacholder S, Baker SM, Berlin M, McAdams M, Timmerman MM, Brody LC and Tucker MA (1997) **The risk of cancer associated with specific mutations of *BRCA1* and *BRCA2* among Ashkenazi Jews** [*N Engl J Med* 336\(20\):1401-1408](#)

FTA Elute

Publication References

Stuhrmann M, Strassburg C and Schmidtke J (2005) **Genotype-based screening for hereditary haemochromatosis I: technical performance, costs and clinical relevance of a German pilot study** [Eur J Hum Gen](#) 13:69-78

Swan H, Sloan L, Muyombwe A, Chavalitsheewinkoon-petmitr C, Krudsood S, Leowattana W, Wilairatana P, Looareesuwan S, Rosenblatt J (2005) **Evaluation of a real-time polymerase chain reaction assay for the diagnosis of malaria in patients from Thailand** [Am. J. Trop. Med Hyg](#) 73(5) 850-854.

Uttayamakul S, Likanonsakul S, Sunthornkachit R, Kuntiranont K, Louisirootchanaikul S, Chaovavanich A, Thiamchai V, Tanprasertsuk S and Sutthent R (2005) **Usage of dried blood spots for molecular diagnosis and monitoring HIV-1 infection** *J. Virol Methods* 128:128-134

Zagreda L, Goodman J, Druin DP, McDonald D and Diamond A (1999) **Cognitive deficits in a genetic mouse model of the most common biochemical cause of human mental retardation** [J Neurosci](#) 19(14) 6175-6182

Zaina S, and Squire S (1998) **The soluble type 2 insulin-like growth factor (IGF-II) receptor reduces organ size by IGF-II-mediated and IGF-II independent mechanisms** [J. Biol Chem](#) 273(44)28610-28616

Zaina S, Newton RVS, Paul MR and Graham CF (1998) **Local reduction of organ size in transgenic mice expressing a soluble insulin-like growth factor II/mannose-6-phosphate receptor** [Endocrinology](#) 139(9) 3886-3895

Human ID/Forensics

Barbaro A, Cormaci P and Barbaro A (2004) **Detection of STRs from body fluid collected on IsoCode paper-based devices** *Forensic Sci Intl* 146S:S127-S128

Roy R and Middendorf LR (1997) **Infrared fluorescent detection of D1S80 alleles from blood and body fluid collected on IsoCode™ devices** *BioTechniques* 23(5) 942-945

Infectious Disease

Basco LK (2004) **Molecular epidemiology of malaria in Cameroon XX. Experimental studies on various factors of *in vitro* drug sensitivity assays using fresh isolates of *Plasmodium falciparum*** [Am. J. Trop. Med Hyg](#) 70(5):474-480

Bonilla JA, Validum L, Cummings R and Palmer CJ (2006) **Genetic diversity of *Plasmodium vivax* Pvmsp and Pvmsp1 in Guyana, South America** [Am J Trop Med Hyg](#) 75:830-835

Causser LM, Bishop HS, Sharp DJ, Flagg EW, Calderon JF, Keane V, Shah JJ, Macarthur JR, Maloney SA, Cetron MS and Bloland PB (2005) **Rapid malarial screening and targeted treatment of United States bound Montagnard refugees from Cambodia in 2002** [Am. J. Trop. Med Hyg](#) 72(6):688-693

Coyne SR, Craw PD, Norwood DA and Ulrich MP (2004) **Comparative analysis of the Schleicher and Schuell IsoCode Six DNA Isolation Device and the Qiagen QIAamp DNA Mini Kit** [J. Clin. Microbiol.](#) 42(10) 4859-4862

Durand S, Marquiño W, Cabezas C, Utz G, Fiestas V, Cairo J, Puray M, Lucas C, Salas C, Gutierrez S, Arrospide N, Bacon DJ and Ruebush TK (2007) **An unusual pattern of *Plasmodium falciparum* drug resistance in the Northwestern Peruvian Amazon region** [Am J Trop Med Hyg](#) 76(4) 614-618

Dutta S, Kaushal DC, Ware LA, Puri SK, Kaushal NA, Narula A, Upadhyaya DS and Lanar DE (2005) **Merozoite surface protein 1 of *Plasmodium vivax* induces a protective response against *Plasmodium cynomolgi* challenge in rhesus monkeys** [Infect. Immunity](#) 73(9):5936-5944

Falk N, Maire N, Sama W, Owusu-Agyei S, Smith T, Beck HP and Felger I (2006) **Comparison of PCR-RFLP and genescan-based genotyping for analyzing infection dynamics of *Plasmodium falciparum*** [Am J Trop Med Hyg](#) 74:944-950

Flück C, Smith T, Beck HP, Irion A, Betuela I, Alpers MP, Anders R, Saul A, Genton B, and Felger I (2004) **Strain-specific humoral response to a polymorphic malaria vaccine** [Infect Immunity](#) 72(11):6300-6305

FTA Elute

Publication References

- Higgins JA, Jenkins MC, Shelton DA, Fayer R, Karns JS (2001) **Rapid extraction of DNA from *Escherichia coli* and *Cryptosporidium parvum* for use in PCR** [Appl. Environ Microbiol](#) 67(11) 5321-5324.
- Imrie H, Fowkes FJI, Michon P, Tavul L, Hume JCC, Piper KP, Reeder JC and Day KP (2006) **Haptoglobin levels are associated with haptoglobin genotype and α^+ - thalassemis in a malarial-endemic area** [Am J Trop Med Hyg](#) 74:965-971
- Mangold KA, Manson RU, Koay ESC, Stephens L, Regner MA, Thomson RB, Peterson LR and Kaul KL (2005) **Real-time PCR for detection and identification of *Plasmodium* spp.** [J. Clin Microbiol](#) 43(5)2435-2440
- Myrick A, Sarr O, Dieng T, Ndir O, Mboup S and Wirth DF (2005) **Analysis of the genetic diversity of the *Plasmodium falciparum* multidrug resistance gene 5' upstream region** [Am J Trop Med Hyg](#) 72(2)182-188
- Nozawa N, Koyano S, Yamamoto Y, Inami Y, Kurane I and Inoue N (2007) **Real-time PCR assay using specimens on filter disks as a template for detection of cytomegalovirus in urine** [J Clin. Microbiol](#) 45:1305-1307
- Owusu-Agyei S, Smith T, Beck H-P, Amenga-Etego L and Felger I (2002) **Molecular epidemiology of *Plasmodium falciparum* infections among asymptomatic inhabitants of holoendemic malarious area in Northern Ghana** [Trop Med and Int Health](#) 7:421-428
- Singer LM, Newman RD, Diarra A, Moran AC, Huber CS, Stennies G, Sirima SB, Konate A, Yameogo, M, Sawadogo R, Barnwell JW and Parise ME (2004) **Evaluation of a malaria rapid diagnostic test for assessing the burden of malaria during pregnancy** [Am J Trop Med Hyg](#) 70(5) 481-485
- Tahar R and Basco K (2007) **Molecular epidemiology of malaria in Cameroon. XXVI. Twelve-year in vitro and molecular surveillance of pyrimethamine resistance and experimental studies to modulate pyrimethamine resistance** [Am. J. Trop. Med Hyg](#) 77(2) 221-227
- Zhong KJY, Salas CJ, Shafer R, Gubanov A, Gasser RA, Magill AJ, Fourney JR and Kain KC (2001) **Comparison of IsoCode Stix and FTA Gene guard collection matrices as whole-blood storage and processing devices for diagnosis of malaria by PCR** [J Clin Microbiol](#) 39(3)1195-1196

Pharmacogenomics

Crovella S, Bernardon M, Braida L, Boniotto M, Guaschino S, Ferrazzi E, Martinelli P, and Alberico S. (2005) **Italian multicentric pilot study on MBL2 genetic polymorphisms in HIV positive pregnant women and their children** [J Maternal-Fetal and Neonatal Med](#) 17(4):253-256

Gos M, Sliwerska E, and Szpecht-Potocka A (2004) **Mutation incidence in folate metabolism genes and regulatory genes in Polish families with neural tube defects** [J App Genet](#) 45(3) 363-368

Harty LC, Garcia-Closas M, Rothman N, Reid YA, Tucker MA, Hartge P (2000) **Collection of buccal cell DNA using treated cards** [Cancer Epidem, Bio and Prev.](#) 9:501-506

Henning L, Felger I and Beck HP (1999) **Rapid DNA extraction for molecular epidemiological studies of malaria** [Acta Tropica](#) 72:149-155

Kudo, T, Oshima T, Kure, S, Matsubara Y and Ikeda K. (2004) **Mutation detection of GJB2 Using IsoCode and real-time quantitative polymerase chain reaction with SYBR Green I dye for newborn hearing screening.** [Laryngoscope](#) 114:1299-1304

Majumdar R, Rehana Z, Al Jumah M and Fetaini N (2005) **Spinal muscular atrophy carrier screening by multiplex polymerase chain reaction using dried blood spot on filter paper** [Ann. Human Genetics](#) 69:216-221.

Mas S, Crescenti A, Gassó P, Vidal-Taboada JM and Lafuente A (2007) **DNA Cards: Determinants of DNA yield and quality in collecting genetic samples for pharmacogenetic studies** [Basic Clin Pharmacol Tox](#) 101:132-137

Mulot C, Stücker I, Clavel J, Beaune P and Lorient MA (2005) **Collection of human genomic DNA from buccal cells for genetics studies; comparison between cytobrush, mouthwash and treated card** [J. Biomed Biotechnol](#) 3:291-296

Sigurdson AJ, Ha M, Cosentino M, Franklin T, Haque KA, Qi Y, Glaser C, Reid Y, Vaught JB and Bergen AW (2006) **Long-term storage and recovery of buccal cell DNA from treated cards** [Cancer Epidem, Bio and Prev.](#) 15:385-388

Vidal-Taboada J, Cucala M, Herrero SM, Lafuente A and Cobos A (2006) **Satisfaction survey with DNA cards method to collect genetic samples for pharmacogenetics studies** [BMC Med Gen](#) 7:45

Plant Biotechnology

Wangsomboondee T and Ristaino JB (2002) **Optimization of sample size and DNA extraction methods to improve PCR detection of different propagules of *Phytophthora infestans*** [Plant Disease](#) 86:247-253.